

*Rely on us.*SM



Varn ProWeb Titanium Plus

Ultimate performance web conditioner

Silicone emulsion for heatset web printing

Product Features

- Silicone emulsion is 50% solids and includes a micronised wax to enhance slip
- Uses a new type of silicone technology to apply a lubricating film with lower migration into the paper surface
- Suitable for all application systems including Weko and Ecocool
- Base silicone oil is manufactured by Flint Group, then emulsified, allowing greater consistency
- Emulsion particle size is less than 1 micron for greatly improved stability over long periods
- Suitable for all types of applicators.

Advantages of ProWeb Titanium Plus

- More efficient lubrication from patented technology means less silicone is required for the same protection
- Consistent manufacture ensures that press settings are maintained throughout the run, and from job to job
- Small uniform particles give a larger surface area to enhance slip at low dosages
- Added wax eliminates smearing and reduces streaking
- Neutral pH
- Prevents build up on path rollers, turner bars, former board, folder tapes etc.
- Improves post-print processes such as folding, cutting and stacking



FlintGroup

ProWeb Titanium Plus

Features	Advantages	Benefits
<ul style="list-style-type: none">• New patented silicone oil technology	<ul style="list-style-type: none">• Lower migration of oil into the paper	<ul style="list-style-type: none">• More silicone at the surface = more slip
<ul style="list-style-type: none">• All components manufactured by Flint Group	<ul style="list-style-type: none">• Guaranteed consistency batch-to-batch	<ul style="list-style-type: none">• Uniform press settings
<ul style="list-style-type: none">• Uniform microscopic emulsion particle size	<ul style="list-style-type: none">• Optimises lubrication	<ul style="list-style-type: none">• Performance plus economy
<ul style="list-style-type: none">• Ink film completely protected	<ul style="list-style-type: none">• Reduced scuff through folder	<ul style="list-style-type: none">• Optimum gloss is achieved

Available pack sizes	200 litre drum; 1,000 litre IBC.
Product code	L015029.
Application	Dilute between 4-8% in tap water.
VOC content	Zero (100% VOC-free).
Flashpoint	Not flammable.
Approvals	None required for silicone; not regulated for storage or transport.

More products. Streamlined access. Greater results.

Flint Group's Print Media division offers a uniquely powerful combination of products, services and expertise; giving you access to the industry's broadest range of pressroom products.

Inks and Coatings. Pressroom Chemicals. Blankets. Sleeves. Consumables.

Rely on us for consistency, reliability and customer focus. Our aim is to make it easier for you to achieve your business goals. With Flint Group products in your pressroom, you can run your business with confidence and peace of mind.

You are welcome to contact us for further information.

FlintGroup

Print Media ANZ
25-51 Berends Drive,
Dandenong South, Victoria, 3175
Australia.

T +61 3 9797 5400
F +61 3 9768 2555
www.flintgrp.com

The aim of our technical documents is to inform our customers about general values. However, the transferability of general values known from experience and laboratory results to concrete practical applications depends on a number of factors which are beyond our control. We therefore ask for your understanding that this advice document cannot be used as the basis for claims in law. Furthermore, the correct application for each product has to be checked carefully for suitability.

Product names followed by ® are trademarks registered by Flint Group Incorporated.